



## RAPID INDUCTION ACCURATE MEASUREMENT

- Highly sensitive infrared probe ·
- Noncontact measurement ·
- 1 second can be measured ·

Medical Infrared Thermometer

▶ **AET-R1B1**

—  
BLACK



—  
WHITE



## LED Digital Display

---

The black display box focuses the reading, the screen no longer changes color, only bright font. reading clear, and easy to get the temperature value.



# 1 second measurement

---


High sensitive probe, the temperature can be measured in 1 second, after a measurement without other operations, you can enter the next measurement it is suitable for multi-person measurement or multi-time measurement.



# Authoritative Certification of CE/FDA/CFDA



**ALIEN**  
since 2010



# Ergonomic Design Comfortable to Hold

---











Following ergonomic design rules,  
the body is solid and stable, handiness,  
comfortable grip, firm grasp







## Features

 a key measure	 memory storage	 replaceable battery	 a second display	 c/f switch
 forehead measurement	 hot tip	 LED display	 automatic shutdown	 intelligent accurate

## Technical parameters

Measuring range: 32.0°C~42.2°C

Accuracy:  $\pm 0.2^{\circ}\text{C}$  (35.0°C~42.0°C)

$\pm 0.3^{\circ}\text{C}$  (32.0°C~34.9°C及42.1°C~42.2°C)

Resolution: 0.1°C

Memory: 32

Power supply : 2\*AAA(DC 3V)

Dimension: 144mm\*101mm\*26mm

Weight: 88g(exclude battery)

Auto power-off: 60s

## PACKING SIZE

■ Qty./CTN(pcs)	42
■ gift box(mm)	120*175*50
■ carton box (mm)	380*370*375
■ CBM(m <sup>3</sup> )	0.053
■ G.W (KG)	6.6



# PACKAGE DISPLAY

**ALIEN**  
since 2010

